

19 June 2020

C/O: LCIE CHINA Co., Ltd.

Building 4, No. 518, Xinzhuan Road, Caohejing Songjiang High-Tech Park, Shanghai, P.R.China (201612)

PEOPLE ELE. APPLIANCE GROUP ZHEJIANG IMPORT & EXPORT CORP

Tammy Yang

Dear Sir / Madam,

APPROVAL OF PRESCRIBED EQUIPMENT

Enclosed is the Certificate(s) in respect to your recent application received by Energy Safe Victoria.

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Gergo Bogdan on telephone 03 9203 9760, or email Gergo.Bogdan@energysafe.vic.gov.au

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Energy Safe Victoria of any change of registered Address within 20 business days.

Yours faithfully



Neil Fraser

ACTING DIRECTOR OF ENERGY SAFETY

Ref: ESV200213/00

Certificate Number: ESV200213/00



Certificate of Approval

This is to certify that the Acting Director of Energy Safety has approved the electrical equipment described hereunder.

Registered Declarant: PEOPLE ELE. APPLIANCE GROUP ZHEJIANG IMPORT & EXPORT CORP
People Industry Zone, No.555 Chezhan Road ,Liushi, Yueqing, Zhejiang Province 325604 P.R.China

Required Marking: ESV200213

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Energy Safe Victoria prior to the equipment being supplied or offered for supply.

Notification must be given to Energy Safe Victoria of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

| | |
|-------------------------|---|
| Electrical Equipment: | Level 3 Residual Current Device RCBO Type AC and Type A |
| Relevant Standards: | AS/NZS 61009.1:2015 |
| Expiry Date: | 19 June 2025 |
| Conditions of Approval: | |

Approval details

RDL6-40 Series of Residual current operated circuit-breakers with integral overcurrent protection. The models listed on this certificate have the following characteristics:
 rated current 6-40A, B curve or C curve, 1P+N
 rated residual current: 10mA or 30mA, Type AC or Type A,
 rated short circuit capacity 4.5kA, grid distance 45mm
 operation dependent of line voltage, without time delay
 utilisation temperature: -5°C...+40°C

| | |
|------------|---------------------------------|
| Model | A4010C |
| Rated at | Input: 240V~, AC, 40A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type A |

| | |
|------------|---------------------------------|
| Model | A3210C |
| Rated at | Input: 240V~, AC, 32A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type A |

| | |
|------------|---------------------------------|
| Model | A2510C |
| Rated at | Input: 240V~, AC, 25A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type A |

| | |
|------------|---------------------------------|
| Model | A2010C |
| Rated at | Input: 240V~, AC, 20A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type A |

| | |
|-------|--------|
| Model | A1610C |
|-------|--------|



Certificate Number: ESV200213/00

| | |
|------------|---------------------------------|
| Rated at | Input: 240V~, AC, 16A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type A |

| | |
|------------|---------------------------------|
| Model | A1010C |
| Rated at | Input: 240V~, AC, 10A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type A |

| | |
|------------|---------------------------------|
| Model | A0610C |
| Rated at | Input: 240V~, AC, 6A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type A |

| | |
|------------|----------------------------------|
| Model | AC4010C |
| Rated at | Input: 240V~, AC, 40A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC3210C |
| Rated at | Input: 240V~, AC, 32A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC2510C |
| Rated at | Input: 240V~, AC, 25A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC2010C |
| Rated at | Input: 240V~, AC, 20A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type AC |



Certificate Number: ESV200213/00

| | |
|------------|----------------------------------|
| Model | AC1610C |
| Rated at | Input: 240V~, AC, 16A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC1010C |
| Rated at | Input: 240V~, AC, 10A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC0610C |
| Rated at | Input: 240V~, AC, 6A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 10mA, Type AC |

| | |
|------------|---------------------------------|
| Model | A4030C |
| Rated at | Input: 240V~, AC, 40A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type A |

| | |
|------------|---------------------------------|
| Model | A3230C |
| Rated at | Input: 240V~, AC, 32A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type A |

| | |
|------------|---------------------------------|
| Model | A2530C |
| Rated at | Input: 240V~, AC, 25A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type A |

| | |
|-------|--------|
| Model | A2030C |
|-------|--------|



Certificate Number: ESV200213/00

| | |
|------------|---------------------------------|
| Rated at | Input: 240V~, AC, 20A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type A |

| | |
|------------|---------------------------------|
| Model | A1630C |
| Rated at | Input: 240V~, AC, 16A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type A |

| | |
|------------|---------------------------------|
| Model | A1030C |
| Rated at | Input: 240V~, AC, 10A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type A |

| | |
|------------|---------------------------------|
| Model | A0630C |
| Rated at | Input: 240V~, AC, 6A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type A |

| | |
|------------|----------------------------------|
| Model | AC4030C |
| Rated at | Input: 240V~, AC, 40A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC3230C |
| Rated at | Input: 240V~, AC, 32A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC2530C |
| Rated at | Input: 240V~, AC, 25A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type AC |



Certificate Number: ESV200213/00

| | |
|------------|----------------------------------|
| Model | AC2030C |
| Rated at | Input: 240V~, AC, 20A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC1630C |
| Rated at | Input: 240V~, AC, 16A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC1030C |
| Rated at | Input: 240V~, AC, 10A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC0630C |
| Rated at | Input: 240V~, AC, 6A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, C curve, 30mA, Type AC |

| | |
|------------|---------------------------------|
| Model | A4010B |
| Rated at | Input: 240V~, AC, 40A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type A |

| | |
|------------|---------------------------------|
| Model | A3210B |
| Rated at | Input: 240V~, AC, 32A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type A |

| | |
|-------|--------|
| Model | A2510B |
|-------|--------|



Certificate Number: ESV200213/00

| | |
|------------|---------------------------------|
| Rated at | Input: 240V~, AC, 25A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type A |

| | |
|------------|---------------------------------|
| Model | A2010B |
| Rated at | Input: 240V~, AC, 20A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type A |

| | |
|------------|---------------------------------|
| Model | A1610B |
| Rated at | Input: 240V~, AC, 16A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type A |

| | |
|------------|---------------------------------|
| Model | A1010B |
| Rated at | Input: 240V~, AC, 10A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type A |

| | |
|------------|---------------------------------|
| Model | A0610B |
| Rated at | Input: 240V~, AC, 6A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type A |

| | |
|------------|----------------------------------|
| Model | AC4010B |
| Rated at | Input: 240V~, AC, 40A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC3210B |
| Rated at | Input: 240V~, AC, 32A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type AC |



Certificate Number: ESV200213/00

| | |
|------------|----------------------------------|
| Model | AC2510B |
| Rated at | Input: 240V~, AC, 25A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC2010B |
| Rated at | Input: 240V~, AC, 20A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC1610B |
| Rated at | Input: 240V~, AC, 16A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC1010B |
| Rated at | Input: 240V~, AC, 10A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC0610B |
| Rated at | Input: 240V~, AC, 6A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 10mA, Type AC |

| | |
|------------|---------------------------------|
| Model | A4030B |
| Rated at | Input: 240V~, AC, 40A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type A |

| | |
|-------|--------|
| Model | A3230B |
|-------|--------|



Certificate Number: ESV200213/00

| | |
|------------|---------------------------------|
| Rated at | Input: 240V~, AC, 32A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type A |

| | |
|------------|---------------------------------|
| Model | A2530B |
| Rated at | Input: 240V~, AC, 25A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type A |

| | |
|------------|---------------------------------|
| Model | A2030B |
| Rated at | Input: 240V~, AC, 20A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type A |

| | |
|------------|---------------------------------|
| Model | A1630B |
| Rated at | Input: 240V~, AC, 16A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type A |

| | |
|------------|---------------------------------|
| Model | A1030B |
| Rated at | Input: 240V~, AC, 10A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type A |

| | |
|------------|---------------------------------|
| Model | A0630B |
| Rated at | Input: 240V~, AC, 6A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type A |

| | |
|------------|----------------------------------|
| Model | AC4030B |
| Rated at | Input: 240V~, AC, 40A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type AC |



Certificate Number: ESV200213/00

| | |
|------------|----------------------------------|
| Model | AC3230B |
| Rated at | Input: 240V~, AC, 32A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC2530B |
| Rated at | Input: 240V~, AC, 25A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC2030B |
| Rated at | Input: 240V~, AC, 20A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC1630B |
| Rated at | Input: 240V~, AC, 16A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC1030B |
| Rated at | Input: 240V~, AC, 10A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type AC |

| | |
|------------|----------------------------------|
| Model | AC0630B |
| Rated at | Input: 240V~, AC, 6A, 50/60Hz |
| Trade Name | PEOPLE |
| Comments | Ic=4,5kA, B curve, 30mA, Type AC |



Certificate Number: ESV200213/00



DATE OF APPROVAL: 19 June 2020

Page: (12/ 12)

A handwritten signature in black ink, appearing to read "N. Fraser".

Acting Director of Energy
Safety